



SILVERLINK 600

#### PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL

Deliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. The single tank with increased power is capable of delivering 30kg of chips an hour. Ideal for pubs, restaurants and care homes, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

#### PRODUCT FEATURES

- Single tank fryer with increased power delivering 30kg of chips an hour, perfect for pubs, restaurants and care homes
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris — gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Flame failure device and top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

**WEIGHTS & DIMENSIONS**

Width	300 mil
Depth	632 mil
Height	980 mil
Weight	26.1 kg

**SHIPPING DETAILS**

Ship Width	114 cm
Ship Depth	75 cm
Ship Height	53 cm
Ship Weight	28.71 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Source Type	Electricity
Electrical Amps	Three Phase 39.1/Three Phase L1=13.0; L2=13.0; L3=13.0
Electrical Voltage	230 volts/ 400 volts
Electrical Watts	9000
Electrical Phase	Single, Three
Kilowatts	9 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	1
Dedicated Circuit Required	No
Energy Saving	No

**ADDITIONAL SPECIFICATIONS**

Auto Oil Top-Off	No
Basket Lift Type	Not Applicable
Control Type	Rotary Control Knob
Food Production Rate	26kg chips -12mm [frozen], 30kg chips - 12mm [chilled] per hour
Fryer Type	Open Pot
Integrated Filtration	No
Number of Baskets	1

Number of Burners	Not Applicable
Number of Vats (batteries)	1
Total Oil Capacity (volume)	9 l
Oil Reclamation	No
Oil Temperature Control	Mechanical
Pumped Oil Filtration	No
Split Pot	No
Temperature Maximum	190 °C
Temperature Minimum	130 °C
Vat 1 Oil Capacity (volume)	9 l

#### BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

#### TECHNICAL DRAWING

